

# Allure

Decorative Panel From Korea

**30**  
New  
Designs



A stylized, handwritten signature in white ink, located in the bottom right area of the page.

APRIL 2021



5417

**NEW**



5418

**NEW**



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE



100% WATER  
RESISTANT




TERMITE  
RESISTANT



BORER  
FREE



5318 **NEW**



5319 **NEW**



SIZE  
600mm (2ft) x 2400mm (8ft) approx.



MATERIAL  
HIGH GRADE PVC



THICKNESS  
4mm



5322

**NEW**



5323

**NEW**



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE



100% WATER  
RESISTANT



TERMITE  
RESISTANT



BORER  
FREE



5424 **NEW**



5425 **NEW**



SIZE  
600mm (2ft) x 2400mm (8ft) approx.



MATERIAL  
HIGH GRADE PVC



THICKNESS  
4mm



5412 **NEW**

5413 **NEW**



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE





100% WATER  
RESISTANT



TERMITE  
RESISTANT



BORER  
FREE



5414 **NEW**

5325 **NEW**



**SIZE**  
600mm (2ft) x 2400mm (8ft) approx.



**MATERIAL**  
HIGH GRADE PVC



**THICKNESS**  
4mm



5419

**NEW**



5420

**NEW**



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE



100% WATER  
RESISTANT



TERMITE  
RESISTANT




BORER  
FREE





5421 **NEW**



5320 **NEW**




SIZE  
600mm (2ft) x 2400mm (8ft) approx.



MATERIAL  
HIGH GRADE PVC



THICKNESS  
4mm



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE




100% WATER  
RESISTANT



TERMITE  
RESISTANT



BORER  
FREE



5315

**NEW**



5316

**NEW**



5317

**NEW**



**SIZE**  
600mm (2ft) x 2400mm (8ft) approx.



**MATERIAL**  
HIGH GRADE PVC



**THICKNESS**  
4mm



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE




100% WATER  
RESISTANT



TERMITE  
RESISTANT



BORER  
FREE



5314 **NEW**



5416 **NEW**



SIZE  
600mm (2ft) x 2400mm (8ft) approx.



MATERIAL  
HIGH GRADE PVC



THICKNESS  
4mm



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE



100% WATER  
RESISTANT



TERMITE  
RESISTANT




BORER  
FREE



5313

**NEW**



5312

**NEW**



5411

**NEW**



SIZE  
600mm (2ft) x 2400mm (8ft) approx.



MATERIAL  
HIGH GRADE PVC



THICKNESS  
4mm



**EURO PRATIK™**  
An Opus of Products

*Allure*  
Decorative Panel From Korea



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE



100% WATER  
RESISTANT




TERMITE  
RESISTANT



BORER  
FREE





5324 **NEW**



5426 **NEW**




SIZE  
600mm (2ft) x 2400mm (8ft) approx.



MATERIAL  
HIGH GRADE PVC



THICKNESS  
4mm



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE



100% WATER  
RESISTANT



TERMITE  
RESISTANT



BORER  
FREE



5124



5225



5226



SIZE  
600mm (2ft) x 2400mm (8ft) approx.



MATERIAL  
HIGH GRADE PVC



THICKNESS  
4mm



**EURO PRATIK™**  
An Opus of Products

*Allure*  
Decorative Panel From Korea



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE



100% WATER  
RESISTANT



TERMITE  
RESISTANT



BORER  
FREE



5321

**NEW**



5422

**NEW**



5423

**NEW**




**SIZE**  
600mm (2ft) x 2400mm (8ft) approx.



**MATERIAL**  
HIGH GRADE PVC



**THICKNESS**  
4mm



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE




100% WATER  
RESISTANT



TERMITE  
RESISTANT



BORER  
FREE



5129



5233



5232



SIZE  
600mm (2ft) x 2400mm (8ft) approx.



MATERIAL  
HIGH GRADE PVC



THICKNESS  
4mm



5415

**NEW**



5130



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE



100% WATER  
RESISTANT



TERMITE  
RESISTANT




BORER  
FREE





5131



5132



SIZE  
600mm (2ft) x 2400mm (8ft) approx.



MATERIAL  
HIGH GRADE PVC



THICKNESS  
4mm



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE



100% WATER  
RESISTANT



TERMITE  
RESISTANT



BORER  
FREE



5121



5221



5222



SIZE  
600mm (2ft) x 2400mm (8ft) approx.



MATERIAL  
HIGH GRADE PVC



THICKNESS  
4mm



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE



100% WATER  
RESISTANT



TERMITE  
RESISTANT



BORER  
FREE



5127



5128



**SIZE**  
600mm (2ft) x 2400mm (8ft) approx.



**MATERIAL**  
HIGH GRADE PVC



**THICKNESS**  
4mm



**EURO PRATIK™**  
An Opus of Products

*Allure*  
Decorative Panel From Korea



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE



100% WATER  
RESISTANT



TERMITE  
RESISTANT



BORER  
FREE



5229



5230



5231



**SIZE**  
600mm (2ft) x 2400mm (8ft) approx.



**MATERIAL**  
HIGH GRADE PVC



**THICKNESS**  
4mm



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE



100% WATER  
RESISTANT



TERMITE  
RESISTANT



BORER  
FREE





5224



5122



5123



SIZE  
600mm (2ft) x 2400mm (8ft) approx.



MATERIAL  
HIGH GRADE PVC




THICKNESS  
4mm



5227



5228



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE



100% WATER  
RESISTANT



TERMITE  
RESISTANT



BORER  
FREE



5125



5126



**SIZE**  
600mm (2ft) x 2400mm (8ft) approx.



**MATERIAL**  
HIGH GRADE PVC




**THICKNESS**  
4mm



5121      5122      5123      5124      5125      5126      5127      5128      5129

Pg. 26      Pg. 32      Pg. 32      Pg. 18      Pg. 34      Pg. 34      Pg. 28      Pg. 28      Pg. 22



5130      5131      5132      5221      5222      5224      5225      5226      5227

Pg. 23      Pg. 24      Pg. 24      Pg. 26      Pg. 26      Pg. 32      Pg. 18      Pg. 18      Pg. 33



5228      5229      5230      5231      5232      5233      5312 N      5313 N      5314 N

Pg.33      Pg. 30      Pg. 30      Pg. 30      Pg.22      Pg. 22      Pg. 14      Pg. 14      Pg. 12



RECOMMENDED EURO PRATIK  
SPECIAL PURPOSE ADHESIVE ( 1KG/ 5KG)



MIRROR  
ENGRAVED PANEL



ENVIRONMENT  
FRIENDLY



NO  
FORMALDEHYDE



100% WATER  
RESISTANT



TERMITE  
RESISTANT



BORER  
FREE



5315 N

Pg. 10



5316 N

Pg. 10



5317 N

Pg. 10



5318 N

Pg. 02



5319 N

Pg. 02



5320 N

Pg.08



5321 N

Pg. 20



5322 N

Pg. 03



5323 N

Pg. 03



5324 N

Pg. 16



5325 N

Pg. 06



5411 N

Pg. 14



5412 N

Pg. 05



5413 N

Pg. 05



5414 N

Pg. 06



5415 N

Pg. 23



5416 N

Pg. 12



5417 N

Pg. 01



5418 N

Pg. 01



5419 N

Pg. 07



5420 N

Pg. 07



5421 N

Pg.08



5422 N

Pg. 20



5423 N

Pg. 20



5424 N

Pg. 04



5425 N

Pg. 04



5426 N

Pg. 16



SIZE  
600mm (2ft) x 2400mm (8ft) approx.



MATERIAL  
HIGH GRADE PVC



THICKNESS  
4mm

# Allure



Mobile App Search : europatik



✉ info@europatik.com | follow us on  
🌐 www.europatik.com |  

**Recommended Euro Pratik Special Purpose Adhesive (1kg. / 5kg.)**



Euro Pratik products adds natural beauty to your interiors. Color Variance, Slubs, Weave irregularities and Shading that appears in these panels are to enhance natural beauty and are not imperfections. Utmost care has been taken to give accurate description & technical specification. Errors and omissions, if any please excuse. Technical specifications and product are subject to change without prior intimation. Use same batch material to avoid color variation. EURO PRATIK warrants that all products are free from manufacturing defects and perfectly fit for use in normal conditions. No Guarantee/Warranty of the Product after installation. (Dimension Tolerance +/- 5-10%)